EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4574	(cryptograph$2 or rsa or $1des or aes) with (engine or processor) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:25
L2	1415	l1 and (internal or secur $2) with (memory or buffer or rom or ram)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:26
L3	356	l2 and (tamper adj1 (resistant or prevent$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:26
L4	33	l3 and (intermediate with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:27
L5	1118	(rsa or $1des or aes) with (engine) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:39
L6	4762	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:40
L7	82	L6 and l5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:40

L8	2	"7360097".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:44
L9	2	"20010019559".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:45
L10	2	"20020002654".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:45
L11	2	"20020040436".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:47
L12	2	"20020107856".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:48
L13	2	"20020157015".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:49
L14	2	"20030021417".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:50
L15	2	"20030041221".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:50

L16	2	"20030056092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:52
L17	2	"20030061598".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:53
L18	2	"20030120745".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:54
L19	2	"20030126453".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:54
L21	2	"20030172265".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:56
L22	2	"20040005061".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:57
L23	2	"20040015694".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 11:58
L24	2	"20040039925".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:01

L25	2	"20040107344".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:01
L26	2	"20050025091".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:02
L27	2	"20050055311".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:02
L28	2	"20050071651".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:03
L29	2	"20050180752".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:03
L30	2	"4486827".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:27
L31	2	"4674089".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:28
L32	2	"4928224".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:28

L33	2	"4941176".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:29
L34	2	"5081675".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:29
L35	2	"5305244".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:29
L36	2	"5463535".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:30
L37	2	"5475829".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:30
L38	2	"5511123".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:30
L39	2	"5511206".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:31
L40	2	"5596741".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:31

L41	2	"5748744".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:32
L42	2	"5835594".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:32
L43	2	"5991399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:32
L44	2	"6011908".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:33
L45	2	"6038320".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:33
L46	2	"6044157".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:34
L47	2	"6061449".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:34
L48	2	"6145051".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:35

L49	2	"6172990".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 12:35
L50	2	"6175896".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:21
L51	2	"6199152".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:27
L52	2	"6199153".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:28
L53	2	"6249782".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:29
L54	2	"6292874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:29
L55	2	"6327660".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:30
L56	2	"6363486".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:30

L57	2	"6401208".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:31
L58	2	"6408376".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:31
L59	2	"6415379".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:32
L60	3	"6453233".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:33
L61	2	"6507904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:33
L62	2	"6510521".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:33
L63	2	"6523118".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:34
L64	2	"6581137".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:34

L65	2	"6587949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:35
L66	2	"6587979".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:35
L67	2	"6633963".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:38
L68	3	"6802006".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:39
L69	2	"6910094".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:39
L70	2	"6983374".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:39
L71	2	"7236956".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:40
L72	2	"7225333".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:41

L73	2	"7191344".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:41
L74	2	"6986052".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:41
L75	2	"7082615".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:42
L76	2	"7185192".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:42
L77	7753	(test$3 or diagonistic) with (data or result or output) with (random or key) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:54
L78	316	l77 and (test$3 or diagnostic) with (fabrica $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:54
S1	2	"5034980".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:42
S2	2	"5933497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:07

S3	2	"5774544".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:15
S4	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:21
S5	2	"5530753".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:28
S6	2	"5878210".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:35
S7	2	"5343524".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:36
S8	2	"5896522".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:37
S9	2	"6457171".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:38
S10	2	"6031992".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:40

S11	2	"6023506".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:41
S12	2	"20030142554".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:03
S13	2	"6704872".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:04
S14	2	"5923884".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:05
S15	3579	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:10
S16	81247	(key or pin or passcode or passphrase or password) with (microprocessor or processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:06
S17	3047	S16 and ((cryptograph$2 or $2crypt$3 or $2cipher $3) with (module or engine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:08
S18	0	S17 and ((wafer and die) with (test$3) with (hmac or hash$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:15

S19	50	S17 and (fus$4 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:09
S20	14	S19 and ((secur3 or restrict$3) with (hardware or processor or memory or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:27
S21	26	S19 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:14
S22	7	S20 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:11
S23	2	"20030046564".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:14
S24	0	S15 and ((wafer and die) with (test$3) with (hmac or hash$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:15
S25	0	((wafer and die) with (test $3) with (hmac or hash $3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:16
S26	0	((wafer and die) with (hmac or hash$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:17

S27	34338	wafer with test$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:17
S28	5543	S27 and (die with test$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:17
S29	4027	S28 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:23
S30	9	S29 and (hmac or hash $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:22
S31	425	(hmac or hash$3) with (test$3 or diagnostic) with (data or result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:23
S32	264	S31 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:23
S33	117	S32 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:23
S34	6	S33 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:27

S35	927	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:27
S36	131	S35 and ((secur3 or restrict$3) with (hardware or processor or memory or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:27
S37	62	S36 and ((processor or cpu or microprocessor) with (internal or integrated or onboard) with (memory or flash or register or rom or ram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:28
S38	6858	secure with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:01
S39	4959	S38 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:01
S40	1400	S39 and ((processor or cpu) with ($2crypt$3 or $2cipher$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:02
S41	3579	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:44
S42	219	S40 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:02

S43	166	S42 and ((processor or cpu) with (key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:03
S44	8	S43 and (inaccessible with (processor or cpu))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:03
S45	34	(software or application) with (access$3) with (secur$2 adj (processor or hardware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 11:42
S46	19	S45 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 11:42
S47	8	("6031992" or "20040025036" or "6704872" or "20040098591").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:05
S48	424	(cryptograph$2 or encrypt$3 or encipher$3) with (engine) with (stor$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:23
S49	227	S48 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:24
S50	6	S49 and (integrat$2 with memory with engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:24

S51	3862	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:45
S52	68	S51 and (determin$3 or detect$3) with (intrusion or prohibit$2 or illegal or attack) with (type or kind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:55
S53	24	S52 and (state or mode) with (type or kind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:54
S54	0	S52 and (state or mode) with transition$3 with (type or kind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:47
S55	4	S53 and (state or mode) with transition$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:47
S56	24650	(analyz$3 or determin$3 or detect$3) with (state or mode) with transition$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:55
S57	165	S56 and (determin$3 or detect$3 or predict$3) with (intrusion or prohibit $2 or illegal or attack) with (type or kind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:55
S58	4107	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:55

S59	2354	(fus$3 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:54
S60	244	S59 and (state with (memory or rom or ram or flash or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:54
S61	136	S60 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:55
S62	14	S58 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 15:29
S63	1073	(cryptograph$2 or $2crypt $3 or $2cipher$3) with state with (memory or rom or ram or flash or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 15:30
S64	131	S58 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 15:30
S65	568	(cryptograph$2 with processor) and (state with (memory or rom or cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:31
S66	297	S65 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:20

S67	27220	(processor with integrat$2 with (rom or memory or ram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:32
S68	38	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:32
S69	1	S66 and (($2crypt$3 or $2cipher$3 or cryptograph $2) with state with track $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 19:17
S70	32	S66 and (intermediate with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:20
S71	118	(software with (cryptograph$2) with engine) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 12:23
S72	4122	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:52
S73	18	S71 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 13:19
S74	3452	(memory or cache or ram) with (track$3) with state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 13:20

S75	1	S72 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 13:20
S76	19	S72 and ((memory or cache or ram) with (monitor$3) with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 13:21
S77	1383	(726/26,27,29.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 10:16
S78	39	S77 and (processor or cpu) with ((secret or private) adj1 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:13
S79	8902	des with (processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:13
S80	5674	S79 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:13
S81	246	S80 and (processor or cpu or engine) with (stor$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:38
S82	5492	((hardware or system or processor or cpu) with (specific) with key) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:56

S83	52	S77 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 16:11
S84	2	"5533123".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 16:11
S85	49	(cryptograph$2 with (processor or cpu)) with (secret adj1 key) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 10:16
S86	103938	protect$3 with (software or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 12:28
S87	21685	S86 and ($2crypt$3 or $2cipher$3) with (software or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 12:28
S88	1383	(726/26,27,29.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 12:28
S89	403	S87 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 12:28
S90	8155	(stor$3 with (encrypt$3 or encipher$3) with (content or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:50

S91	5186	S90 and (decrypt$3 or decipher$3) with (content or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:51
S92	671	S91 and ((crypto or cryptographic) with (engine or processor or cpu or module or unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:51
S93	4122	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:11
S94	94	S93 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:10
S95	69	S94 and des	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:52
S96	242	(processor or cpu) with (serial adj1 number) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:11
S97	28	S96 and (des or 3des) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:11
S98	18	S97 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:12

S99	146	S96 and @ad< "20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:12

6/30/2009 2:14:10 PM

C:\ Documents and Settings\ ppich\ My Documents\ EAST\ Workspaces\ 10672796.wsp